


# DATASHEET DS-DSP-21


## FIXINGS

### Dome Washers

	Standard Moulded Grating								Mini Mesh Moulded Grating				Solid Top Grating				Sandwich Panel (Solid Top & Bottom)			
	12	25	30	38	50	50HD	60HD		14	22	30	38	18	29	42	54	18	46	64	72
Small								✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Large	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

- Panel Holding Down Clip
- Direct fix to substrate
- Heavy Duty fixing clip
- Compatible with nuts, bolts, washers, screws, anchors and more
- Large 45mm/small 30mm Diameter
- Large 5mm/3mm proud
- Reduces trip hazards

### Square Recessed Clip

	Standard Moulded Grating								Mini Mesh Moulded Grating				Solid Top Grating				Sandwich Panel (Solid Top & Bottom)			
	12	25	30	38	50	50HD	60HD		14	22	30	38	18	29	42	54	18	46	64	72
Small		✓	✓	✓																
Large					✓															

- Panel Holding Down Clip
- Heavy Duty fixing clip
- Compatible with nuts, bolts, washers, screws, anchors and more
- Recessed design only 1.5mm proud
- Reduces trip hazards
- Direct fix to substrates


### FOR MORE INFO

Call: 01206 322 899  
 Email: [sales@deck-safe.co.uk](mailto:sales@deck-safe.co.uk)  
 Visit: [www.decksafe.co.uk](http://www.decksafe.co.uk)  
 V1-25.01.2019




## FIXINGS

### M Clip

	Standard Moulded Grating							Mini Mesh Moulded Grating				Solid Top Grating				Sandwich Panel (Solid Top & Bottom)			
	12	25	30	38	50	50HD	60HD	14	22	30	38	18	29	42	54	18	46	64	72
 Shallow								✓	✓										
Deep										✓	✓								
Standard		✓	✓	✓															
Large					✓														

- Panel Holding Down clip
- Heavy duty fixing clip
- Compatible with nuts, bolts, washers, screws, anchors and more
- Recessed design 1.5mm Proud
- Reduces trip hazards
- Direct fix to substrate

### G Clamp

	Standard Moulded Grating							Mini Mesh Moulded Grating				Solid Top Grating				Sandwich Panel (Solid Top & Bottom)			
	12	25	30	38	50	50HD	60HD	14	22	30	38	18	29	42	54	18	46	64	72
 Small								✓	✓	✓	✓								
Large	✓	✓	✓	✓	✓	✓													

- Panel to panel clamp
- Non-structural joining system
- Suitable for temporary floor systems

## FOR MORE INFO

Call: 01206 322 899

Email: [sales@deck-safe.co.uk](mailto:sales@deck-safe.co.uk)


Visit: [www.decksafe.co.uk](http://www.decksafe.co.uk)

V1-25.01.2019

# DATASHEET DS-DSP-21


## FIXINGS

### J Clamp

	Standard Moulded Grating							Mini Mesh Moulded Grating				Solid Top Grating				Sandwich Panel (Solid Top & Bottom)			
	12	25	30	38	50	50HD	60HD	14	22	30	38	18	29	42	54	18	46	64	72
 Small		✓	✓	✓		✓		✓	✓	✓	✓								
Large	✓				✓														

- Panel Holding Down Clamp
- Friction fixing clamp
- Used where direct substrate fitting with bolt/screws is not permitted to clamp onto flange/web
- Does not require tightening from underneath
- M8 bolt thread compatible
- M8 Nyloc or square nut

### Channel Clamp

	Standard Moulded Grating							Mini Mesh Moulded Grating				Solid Top Grating				Sandwich Panel (Solid Top & Bottom)			
	12	25	30	38	50	50HD	60HD	14	22	30	38	18	29	42	54	18	46	64	72
 Small	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Large	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

- Panel to Panel Clamp
- Strengthening Bars
- Panel joint strengthening bars
- M8 bolt thread compatible
- M8 square nut essential
- Large 174mm
- Small 93mm
- Requires Dome, Square or M-Clips

## FOR MORE INFO

Call: 01206 322 899

Email: [sales@deck-safe.co.uk](mailto:sales@deck-safe.co.uk)

Visit: [www.decksafe.co.uk](http://www.decksafe.co.uk)

V1-25.01.2019